



**CHAMPION BEAR RESOURCES LTD.**

**NEWS RELEASE**

**CHAMPION BEAR ENCOUNTERS VISIBLE GOLD DRILLING AT ITS PLOMP FARM PROPERTY, DRYDEN AREA**

Calgary, Alberta (TSX Venture: CBA), June 27, 2007 - Champion Bear Resources Ltd. ("Champion Bear") is pleased to report that its first deep "wedge" hole encountered visible gold. Assaying confirms 71.6 g Au /t, 6.0 g Ag /t and 141 ppm Cu, over a core length of 0.4 metres from 623.6 to 624.0 metres. Table 1 below shows the distribution of anomalous Au (gold), Ag (silver), Cu (copper), Zn (zinc), Pb (lead) and Ba (barite) throughout the main mineralized zones. Hole PF-07-119W1 was a wedge hole testing the mineralized zone approximately 15 metres up dip from previous hole PF-06-119, which encountered 31.7 g Au/t, 33.3 g Ag/t and 1.36% Cu for a core length of 0.4 metres from 579.0 to 579.4 metres.

**Table 1 – Hole PF-07-119W1 Selected Intervals  
Plomp Farm Property**

Sample No.	From (metres)	To (metres)	Width (metres)	Au	Au	Ag	Cu	Zn	Pb	Ba
				ppb	g/t	ppm/(g/t)	ppm	ppm	ppm	ppm
				INAA	FA-GAA	TD-ICP	TD-ICP	TD-ICP	TD-ICP	INAA
A17744	591.0	592.0	1.0	196	0.2	3	437	294	89	2800
A17745	592.0	592.5	0.5	854	1.16	13	1380	301	87	1800
A17746	592.5	593.0	0.5	912	1.08	16	1450	363	44	2200
A17747	593.0	593.5	0.5	902	0.93	11	1080	1250	80	6800
A17748	593.5	594.1	0.6	893	0.97	15	1990	300	69	2100
A17767	612.0	613.0	1.0	1210	1.13	12	1590	863	31	5760
A17768	613.0	614.0	1.0	174	0.17	1.8	149	276	32	9000
A17769	614.0	615.0	1.0	208	0.1	5	260	243	40	2610
A17770	615.0	616.0	1.0	156	0.13	3	129	98	32	1260
A17771	616.0	617.0	1.0	174	< 0.03	2.7	197	229	41	1350
A17772	617.0	618.0	1.0	175	0.07	3	266	280	56	1890
A17773	618.0	619.0	1.0	239	0.13	3	183	442	24	2700
A17774	619.0	620.0	1.0	116	0.07	1.2	99	92	18	3330
A17775	620.0	621.1	1.1	141	0.13	2.3	168	119	19	1270
A17776	621.1	622.0	0.9	106	0.03	1.8	81	49	11	910
A17777	622.0	623.0	1.0	68	< 0.03	1.4	94	39	7	640
A17778	623.0	623.7	0.7	162	0.03	1.6	126	31	12	760
A17779	623.7	624.1	0.4	> 30000	71.06	6	141	61	21	750
A17780	624.1	625.0	1.0	215	0.07	1.1	84	82	15	1100

A17781	625.0	626.0	1.0	110	< 0.03	1.4	94	84	22	910
A17782	626.0	627.0	1.0	55	< 0.03	5	96	55	12	580
A17783	627.0	628.0	1.0	109	0.07	2.1	221	62	17	820
A17784	628.0	629.0	1.0	155	0.1	2.4	136	61	35	990
A17785	629.0	630.0	1.0	184	< 0.03	3.3	290	288	66	1500
A17786	630.0	631.0	0.0	227	0.19	2.4	386	177	52	1200

Champion Bear is encouraged by this intersection, which confirms that zones of higher-grade gold are present within this large mineralized system. Two other wedge cuts have been completed from the original hole, one to the east and one at greater depth. Assays will help determine the parameters and define the controls to the high grade gold mineralization.

Hole PF-07-119W2 the second wedge cut, approximately 12 metres to the east of original hole PF-06-119 encountered anomalous gold, silver, copper, zinc and barite mineralization typical of the main mineralized structure (see Table 2).

**Table 2 – Hole PF-07-119W2 Selected Intervals  
Plomp Farm Property**

Sample No.	From (metres)	To (metres)	Width (metres)	Au		Ag	Cu	Pb	Zn	Ba
				ppb	ppb	ppm	ppm	ppm	ppm	ppm
				INAA	FA-AA	MULT INAA / TD-ICP	TD- ICP	TD- ICP	MULT INAA / TD-ICP	INAA
A18060	570.20	570.70	0.5	262	283	2.7	735	13	2420	1700
A18061	570.70	571.20	0.5	892	1120	17	1540	11	> 10000	1500
A18088	594.0	595.0	1.0	287	235	3.2	325	49	538	3600
A18089	595.0	596.0	1.0	338	264	4.4	494	48	387	2400
A18090	596.0	597.0	1.0	218	190	3.2	344	112	1270	1700
A18091	597.0	598.0	1.0	888	897	8.5	1160	77	1240	1600
A18092	598.0	599.0	1.0	606	560	8.4	1050	45	260	2700
A17814	620.0	621.0	1.0	159	--	3.7	271	23	146	4100
A17815	621.0	622.0	1.0	177	--	3.8	253	29	254	1300
A17816	622.0	623.0	1.0	162	--	2.5	184	25	231	1800
A17817	623.0	624.0	1.0	137	--	2.6	175	23	168	2000
A17818	624.0	625.0	1.0	189	--	3	206	16	140	2500
A17819	625.0	626.0	1.0	129	--	1.9	106	14	101	1800
A17820	626.0	627.0	1.0	97	--	1.3	112	14	86	1100
A17821	627.0	628.0	1.0	136	--	1.6	196	12	91	1100
A17822	629.0	630.0	1.0	135	--	1.4	103	14	81	1700
A17823	630.0	631.0	1.0	173	--	1.7	206	10	111	1000
A17824	631.0	632.0	1.0	239	--	1.6	226	12	92	1200
A17825	632.0	633.0	1.0	175	--	2.7	393	16	67	1000
A17826	633.0	634.0	1.0	121	--	1.8	220	11	54	740
A17827	634.0	635.0	1.0	89	--	1.7	275	14	63	910
A17828	635.0	636.0	1.0	93	--	1.9	187	19	43	650
A17829	636.0	637.0	1.0	129	--	2.8	254	66	109	1700

A17830	637.0	638.0	1.0	216	--	2.1	246	85	182	2300
A17831	638.0	639.0	1.0	249	--	2.1	257	81	203	3500

Anomalous gold mineralization was also encountered 700 to 1,100 metres west of the main Plomp Farm zone along the same mineralized structure and on the Plomp Farm East claims eight kilometers to the east of the main zone.

Table 3 shows the distribution of anomalous gold, silver, zinc and copper mineralization in hole PF-07-126 drilled 700 metres west of hole PF-06-119. Anomalous mineralization encountered in hole PF-07-125 drilled 500 metres further to the west of hole PF-07-126 was less intense.

**Table 3 – Hole PF-07-126 Selected Intervals  
Plomp Farm Property**

Sample No.	From (metres)	To (metres)	Width (metres)	Au	Ag	Cu	Zn	Pb
				ppb	g/t	ppm	ppm	ppm
				INAA	TD-ICP	TD-ICP	TD-ICP	TD-ICP
				Au	Ag	Cu	Zn	Pb
A17649	171.0	172.0	1.0	29	0.6	27	113	13
A17650	172.0	173.0	1.0	35	0.6	48	435	13
A17651	173.0	174.0	1.0	46	0.9	57	348	14
A17652	174.0	175.00	1.0	91	0.8	208	397	20
A17653	175.00	176.00	1.0	78	1.1	285	1430	16
A17654	176.00	177.00	1.0	< 2	< 0.3	12	50	8
A17655	177.00	178.00	1.0	9	0.3	10	51	10
A17656	178.00	179.0	1.0	< 2	1	4	40	12
A17657	179.0	180.0	1.0	< 2	0.5	6	40	13
A17658	180.0	181.0	1.0	< 2	1.2	12	160	13
A17659	181.0	182.0	1.0	278	1.9	403	1890	38

Geochemically anomalous gold was encountered in two surface trenches on the Plomp Farm East block on lines 95+35 and 94+90 and in two of three preliminary test holes drilled on line 95+00E and 105+00E on the east grid. The trench results show anomalous gold values in association with arsenopyrite (see Table 4).

**Table 4 – Surface Trench Results from Plomp Farm East Claims**

Sample No.	Grid X	Grid Y	Channel Dimensions cm	Au	Ag	Cu	Pb	Zn	As
				ppb	ppm	ppm	ppm	ppm	ppm
				INAA	MULT INAA / TD-ICP	TD-ICP	TD-ICP	MULT INAA / TD-ICP	INAA
17631	95+35E	152N	130x10x5	165	0.3	33	13	57	10900
17632	95+35E	152N	70x14x5	21	< 0.3	40	12	67	33.1
17633	95+35E	152N	70x14x5	31	< 0.3	15	8	64	54.6
17634	94+90E	152N	120x4x5	7	< 0.3	24	< 3	87	5
17635	94+90E	152N	115x7x5	33	< 0.3	28	< 3	79	5.4
17636	94+90E	152N	100x7x5	< 2	< 0.3	22	< 3	68	9.1

Drill holes PFE-07-02 and PF-07-03 tested two IP anomalies in the southern part of the grid approximately 100 metres east of the trenches. Hole PFE-07-03 located at 0+60N on line 96+00E drilled north at -48 degrees encountered 10-15% sulphides (pyrrhotite and pyrite) between 113 and 135 metres (the IP anomaly) and sporadic anomalous gold in the range of 2-75 ppb Au, with 0.3-1 ppm Ag and 40-122 ppm Zn. No significant mineralization was encountered in hole PFE-07-03 located at 0+88N on line 95+89E drilled south at -48 degrees which was drilled to test mineralization near the collar of PF-07-02.

Hole PFE-07-01 located at 0+92N on line 105+00E drilled north at -50 degrees was drilled to test an IP anomaly. The hole encountered 5-15% sulphides (locally up to 50%), mostly pyrrhotite, with anomalous gold, silver, and zinc in the range of 2-65 ppb Au, 0.3-3.2 ppm Ag and 98-157 ppm Zn in a sheared zone between approximately 190 and 198 metres.

Detailed mapping and surface sampling along the entire three-kilometre section of this structure is currently in progress. The remaining additional four kilometres further to the east is scheduled for initial prospecting later this summer.

Based on the anomalous gold mineralization encountered to date along this mineralized structure Champion Bear believes that their entire 14 kilometre strike length of this structure warrants further detailed exploration.

Diamond drilling, field mapping and sampling programs were carried out by Watts, Griffis and McOuat Limited personnel, under the field supervision of WGM senior geologist J. Smolen P. Geo.

Core samples were cut with a diamond saw and one-half of the core has been retained in storage for future testing and data confirmation. Channel samples were cut with a portable masonry saw and chipped out with a chisel. All samples were tagged and sealed in plastic bags after cutting. Sealed plastic bags were personally delivered to the shipper for delivery to Activation Laboratories in Ancaster, Ontario.

All samples were analysed for base and precious metals using the following assay procedures, INAA (Instrumental Neutron Activation Analysis) and TD-ICP (Total digestion with Inductively Coupled Plasma), including Zn, Pb, Cu, Ni, Co, Ag, As, Bi, Ba, and W. The high grade gold samples were re-assayed using FA-GRA (Fire Assay with Gravimetric finish) to confirm the gold analyses.

The QP for the technical aspects of this news release is Joe Hinzer P. Geo., President of WGM.

Champion Bear is a mineral exploration company focused exclusively on the historically prospective regions of Ontario. The Company's primary target is platinum group and precious metals and to a lesser extent polymetallic base metal and pegmatite-hosted tantalum deposits. Champion Bear's aim is to create shareholder value through selective property acquisition and joint venture followed by focused exploration emphasizing drilling. The Company has assembled a large land position in the Dryden and Sudbury areas, totaling over 16,000 hectares.

For further information, please contact: Richard D. Kantor, Chairman and President of Champion Bear Resources Ltd. at Phone: (403) 229-9522 or Fax: (403) 229-9518. Champion Bear's website is [www.championbear.com](http://www.championbear.com).

*The TSX Venture Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.*